

HIGH PERFORMANCE COMPOUND

SUPERIOR ENGINEERING

RACE PROVEN







ECSAFE

NEVER COMPROMISE®

PERFORMANCE GUARANTEED®



- EXCELLENT HANDLING & TRACTION
- HIGH PERFORMANCE FROM THE STREET TO THE TRACK



Tire Size	Overall Diameter (IN)	Section Width (IN)	Load Capacity (S/D) LBS	Tread Depth (32nds)
245/40ZR18 97Y XL	25.7	9.8	1609	9
265/35ZR18 97Y XL	25.3	10.7	1609	9
275/35ZR18 99Y XL	25.6	10.9	1709	9
315/30ZR18 99Y XL	25.5	12.6	1709	9
245/35ZR19 93Y XL	25.8	9.8	1433	10
295/35ZR19 104Y XL	27.1	11.9	1984	10
305/35ZR19 102Y SL	27.4	12.3	1874	10
315/30ZR19 100Y SL	26.5	12.6	1764	10
245/30ZR20 90Y XL	25.8	9.8	1323	10
245/35ZR20 95Y XL	26.8	9.8	1521	10
255/30ZR20 92Y XL	26.1	10.2	1389	10
265/35ZR20 99Y XL	27.3	10.7	1709	10
275/35ZR20 102Y XL	27.6	10.9	1874	10
305/30ZR20 103Y XL	27.2	12.3	1929	10
315/35ZR20 110Y XL	28.7	12.6	2337	10
345/30ZR20 106Y SL	28.2	13.8	2094	10
265/35ZR21 101Y XL	28.3	10.7	1819	10
305/30ZR21 104Y XL	28.2	12.3	1984	10
325/25ZR21 102Y XL	27.4	13.2	1874	10
325/30ZR21 108Y XL	28.7	13.0	2205	10
355/25ZR21 107Y XL	28.0	14.4	2149	10

UTQG 200 AA A



PERFORMANCE GUARANTEED®

FEATURES AND BENEFITS X COMP H/P

HIGH PERFORMANCE COMPOUND

Motorsport-grade cap compound that maintains grip as the tire temperatures heighten. Large contact patch reduces slip under heavy acceleration and hard cornering thus increasing sustainable g-forces under load.

SUPERIOR ENGINEERING

Two layers of polyester carcass provides a strong casing for quick steering response and unsurpassed handling performance.

UNIFORM CONSISTENCY

Twin inner grooves and cross patch siping generates positive feedback and traction during inclement weather by dispersing water on impact.

The X Comp H/P street tire was designed to exceed the expectations of various applications including street driving, track days and drifting.

OE Fitment for Top Brands Including: Shelby, Porsche, McLaren, Ferrari and Lamborghini.

DRY		
14/22		
WET		
SPORT		
COMFORT		
MILEAGE		

SIZE	245 - 355
ASPECT RATIO	<i>25 - 35</i>
RIMS	18 - 21
SPEED INDEX	Y - (Y)
UTQG	200 AA A



INNER AREA

Twin inner grooves and cross patch siping generates positive feedback and traction during inclement weather by dispersing water on impact.

OUTER AREA

Large contact patch reduces slip under heavy acceleration and hard cornering thus increasing sustainable g-forces under load.







100% FREE REPLACEMENT WARRANTY

American Pacific Industries, Inc (API) hereby warrants every new Gladiator High Performance (H/P) tire for workmanship and material related conditions for the life of the original tread of a new tire less 2/32". The life of the original usable tread ends when the tire tread has worn down with only 2/32" remaining as measured In the fastest wearing groove, at which point the tire is considered to be fully worn out. API will refund the cost of a replacement Gladiator H/P tire. Applicable taxes on the new tire and costs of mounting and balancing service shall be borne by the owner. All Exclusions listed below void this 100% Free Replacement Warranty. Conditions and coverage are subject to change at any time and without notice.

- A) The Gladiator H/P tire must be replaced with a comparable new Gladiator H/P tire by an authorized Gladiator dealer. Copy of invoice will be required.
- B) 100% free replacement applies to new first quality tires. Blemished tires, retreads and road hazard tires are specifically excluded (see Road Hazard Warranty below),
- C) Adjustments on ride complaints or out of round tires are excluded from this warranty if they are worn past 2/32" from the original usable tread of the new tire.

SATISFACTION ASSURED

All API passenger and LT tires are covered by the 30 Day "Satisfaction Assured" trial period. If, for any reason, other than an excluded condition listed in the respective tire's Standard Warranty, you are not satisfied with your new set of tires within 30 days of date of purchase - or the first 2/32nds of tread wear as measured in the fastest wearing groove (whichever comes first) - you may exchange all or any one of them for the same number of the same design or similar design API manufactured tires. Mounting and balancing are free of charge (excluding online orders). Owner pays all applicable taxes. If you wish to exchange for another set of API manufactured tires that have a higher cost, you must pay the upgrade from the original purchase price, including shipping and all applicable taxes. If you wish to exchange for another set of tires, which is at a lower cost, you will receive a credit for the difference in cost.

This Satisfaction Assurance guarantee only applies to the original new set of manufactured passenger and LT tires purchased and not to the replacement tires under this guarantee.

Administration of the Assured Satisfaction Warranty

Within the 30 days from the date of purchase or the first 2/32nds tread wear as measured in the fastest wearing groove, you must return your tires to the authorized API brand tire dealer where you purchased your tires. You must present the original sales receipt and proof-of-purchase. Reason for dissatisfaction must be explained to the dealer (i.e., appearance, ride, handling, etc.) and noted on the adjustment claim form.

EXCLUSIONS

A) All Gladiator warranties are limited to the original purchaser and the original vehicle on which they are mounted, and are not assignable to subsequent purchasers or vehicles.

- B) The warranties listed above are applicable only in the United States and Canada and any tire used or equipped on a vehicle registered or operated outside the United States and Canada are not covered by these warranties.
- C) The following is not covered by the warranties listed above:
 - 1) Tire branded or marked "Non-Adjustable" (N/A) or "Blemished" (Blem), or previously adjusted.
 - 2) Failure, damage or irregular wear due to:
 - a) fire, accident or vandalism;
 - b) mechanical condition of vehicle, including improper alignment, improper inflation, wheel imbalance, faulty shocks or brakes;
 - c) misapplication of tire; or
 - d) alteration of the tire, addition of foreign material, transfers from one vehicle to another or any previous damages and/or repairs.
 - 3) Cost of mounting and balance service.
 - 4) Loss of time or use, inconvenience, or any incidental or consequential damages except as prohibited by law.
 - 5) Adjustment on out-of-balance or out-of-round tire is allowed only during the first 2/32" of the original tread as measured in the fastest wearing groove. A set of all four (4) tires from the same vehicle claimed for out-of-round will not be accepted.
- D) Any Gladiator LT tire produced five (5) years from date of manufacture as determined by the DOT/Serial number are not covered under the warranties listed above.

REPAIRS AND RETREADING: RATING CHANGES AND CAUTION

- A) Repaired, retreaded or altered Gladiator tire with "Speed Rating(s)" no longer retain their "Speed Rating".
- B) If the aforementioned tire(s) is repairable, see the recommended repair procedures used by the tire dealer(s) for repairing tubeless passenger car radial tires as detailed and illustrated in the RMA puncture repair procedures.
- C) Repairs must be restricted to the tread area inside a half inch of the sidewall of the tire.
- D) Do not repair any punctures that are larger than 1/4" in diameter.

OWNER'S OBLIGATIONS

In order to be eligible for Gladiator H/P Limited Warranty service, the dealer/owner must:

- A) At the time of purchase, the tires must be properly installed, correct air pressure set and the wheels balanced. Every 6,000 miles the tires must be rotated, proper air pressures set and the wheel alignment checked.
- B) Any tire to be adjusted must be presented to an authorized Gladiator dealer.
- C) Present proof of purchase to the satisfaction of the dealer.
- D) Complete and sign a Gladiator Warranty Claim Form which is available at any authorized dealer.
- E) Pay the amount due on a new tire, less the amount of credit, including taxes, mounting and balancing charges or cost of other services ordered.

DISCLAIMER

This warranty, or any warranty stated or referred to herein, is exclusive and in lieu of any other warranty regarding the quality of Gladiator Tires, whether expressed or implied, and remedies for breach thereof shall be limited to those specifically provided herein.







