

NEVER COMPROMISE[®]

ZENNA[®]

TIRES



PASSENGER / LIGHT TRUCK



**** DETAILED WARRANTIES INSIDE***



ZENNA[®] ***SPORT LINE***



Balanced Touring & Performance Design

- **Wide shoulders with an advanced tread pattern to deliver a smooth, stable ride while maintaining precise steering response and cornering confidence**

All-Season Traction

- **Silica-enhanced tread compound with center channel and wide circumferential grooves to provide grip and water evacuation in dry, wet, and light snowy conditions**

Quiet, Comfortable Ride

- **Variable pitch tread blocks reduce noise and enhance ride comfort for everyday driving**

Durable, Long-Lasting Performance

- **Designed to keep your ride quiet and comfortable, whether around town or on the highway**

TIRE SIZE	LI	SS	OD	SW	LOAD
175/70R13	82	T	22.7	7.0	1047
175/65R14	82	T	23.0	7.0	1047
185/65R14	86	T	23.5	7.4	1168
185/70R14	88	T	24.3	7.4	1235
195/70R14	91	T	24.8	7.9	1356
185/60R15	84	H	23.7	7.4	1102
185/65R15	88	H	24.4	7.4	1235
195/60R15	88	H	24.2	7.9	1235
195/65R15	91	H	25.0	7.9	1356
205/60R15	91	H	24.7	8.2	1356
205/65R15	94	H	25.5	8.2	1477
215/70R15	98	H	26.9	8.7	1653
205/55ZR16	91	W	24.9	8.4	1356
205/60R16	92	H	25.7	8.2	1389
205/65R16	95	H	26.5	8.2	1521
215/55ZR16	93	W	25.3	8.9	1433
215/60R16	95	H	26.1	8.7	1521
215/65R16	98	H	27.0	8.7	1653
225/60R16	98	H	26.6	9.0	1653
205/50ZR17 XL	93	W	25.1	8.4	1433
215/45ZR17 XL	91	W	24.7	8.4	1356
215/50R17 XL	95	V	25.5	8.9	1521
215/55ZR17 XL	98	W	26.3	8.9	1653
225/45ZR17 XL	94	W	25.0	8.9	1477
225/50ZR17 XL	98	W	25.9	9.2	1653
225/55R17 XL	101	V	26.8	9.2	1819
225/60R17	99	H	27.6	9.1	1709
225/65R17	102	H	28.5	9.1	1874
235/45ZR17 XL	97	W	25.4	9.3	1609
235/50ZR17	96	W	26.3	9.7	1565
235/55R17 XL	103	V	27.2	9.7	1929
235/65R17 XL	108	V	29.1	9.5	2205
245/40ZR17 XL	95	W	24.7	9.8	1521
225/40ZR18 XL	92	W	25.1	9.1	1389
225/45ZR18 XL	95	W	25.9	8.9	1521
225/50ZR18 SL	95	W	26.9	9.2	1521
235/40ZR18 XL	95	W	25.4	9.5	1521
235/45ZR18 XL	98	W	26.3	9.3	1653
235/50ZR18 XL	101	W	27.3	9.7	1819
235/55ZR18 XL	104	W	28.2	9.7	1984
245/40ZR18 XL	97	W	25.7	9.8	1609
245/45ZR18 XL	100	W	26.7	9.6	1764
UTQG 420 A A T.D. 10/32NDS					
				NEVER COMPROMISE®	



Ultra-High-Performance Handling

- Rigid tread blocks and a solid center rib enhance steering response, high-speed stability, and cornering precision

All-Season Reliability

- Wide circumferential grooves provide firm dry traction and superior water evacuation for effective year-round performance

Performance Focused Design

- Aggressive tread pattern and sidewall styling deliver a performance-driven appearance

Comfort and Control

- Optimized tread pitch sequence reduces road noise and improves ride comfort, even at highway speeds

TIRE SIZE	LI	OD	SW	LOAD
255/55R18 XL	109V	29	10.4	2270
225/35ZR19 XL	88W	25.2	9.1	1235
225/40ZR19 XL	93W	26.1	9.1	1433
225/45ZR19 XL	96W	27	8.9	1565
225/55R19 SL	99H	28.8	9.2	1709
235/35ZR19 XL	91W	25.5	9.5	1356
235/40ZR19 XL	98Y	26.4	9.5	1653
245/35ZR19 XL	93W	25.8	9.8	1433

TIRE SIZE	LI	OD	SW	LOAD
245/40ZR19 XL	98W	26.7	9.8	1653
245/45ZR19 XL	102W	27.7	9.6	1875
255/35ZR19 XL	96W	26	10.2	1565
255/45ZR19 XL	104W	28.1	10	1984
255/50R19 XL	107V	29.1	10.4	2149
265/30ZR19 XL	93W	25.3	10.7	1433
275/30ZR19 XL	96W	25.6	10.9	1565
275/35ZR19 XL	100Y	26.6	10.9	1764
225/30ZR20 XL	85W	25.4	9.1	1135
225/35ZR20 XL	90W	26.2	9.1	1323
235/35ZR20 XL	92Y	26.5	9.5	1389
245/30ZR20 XL	90W	25.8	9.8	1323
245/35ZR20 XL	95W	26.8	9.8	1521
245/40ZR20 XL	99W	27.7	9.8	1709
245/45ZR20 SL	99W	28.7	9.6	1709
245/50R20 SL	102V	29.7	10	1874
255/35ZR20 XL	97W	27	10.2	1609
255/45ZR20 XL	105W	29.1	10	2039
255/50R20 XL	109V	30.1	10.4	2271
265/45ZR20 XL	108W	29.4	10.5	2205
265/50R20 XL	111V	30.5	10.9	2403
275/30ZR20 XL	97W	26.5	10.9	1609
275/35ZR20 XL	102W	27.6	10.9	1874
275/40ZR20 XL	106W	28.7	10.9	2094
275/45R20 XL	110V	29.8	10.7	2337
275/55R20 XL	117V	31.9	11.2	2833
285/25ZR20 XL	93W	25.6	11.6	1433
285/30ZR20 XL	99Y	26.8	11.4	1709
315/35ZR20 XL	110W	28.7	12.6	2337
245/35ZR21 XL	96Y	27.8	9.8	1565
265/35ZR21 XL	101Y	28.3	10.7	1819
235/30ZR22 XL	90W	27.6	9.5	1323
245/30ZR22 XL	92W	27.8	9.8	1389
255/30ZR22 XL	95W	28.1	10.2	1521
265/30ZR22 XL	97W	28.3	10.7	1609
265/35ZR22 XL	102W	29.3	10.7	1874
265/40R22 XL	106V	30.4	10.7	2094
285/25ZR22 XL	95W	27.6	11.6	1521
285/35ZR22 XL	107W	29.9	11.4	2150
285/45ZR22 XL	114W	32.1	11.2	2601
295/25ZR22 XL	97W	27.8	11.9	1609
305/40ZR22 XL	114W	31.6	12.3	2601
305/45R22 XL	118V	32.8	11.9	2910
255/30ZR24 XL	97W	30.1	10.2	1609
275/25ZR24 XL	96W	29.4	11.1	1565
295/35R24 XL	110V	32.1	11.9	2337
305/35R24 XL	112V	32.4	12.3	2469
275/25ZR26 XL	98W	31.4	11.1	1653
295/30ZR26 XL	107W	33	11.9	2149
305/30R26 XL	109V	33.2	12.3	2271
UTQG 420 AA A - T.D. 10/32NDS				
			NEVER COMPROMISE [®]	

ZENNA®

TRAILHEAD
HT



All-Season Confidence

- Optimized tread pattern enhances grip and stability in dry, wet, and light snowy conditions for dependable year-round performance

Smooth and Quiet Ride

- Closed shoulder design and variable tread block arrangement reduces road noise and vibration for a comfortable highway experience

Long Tread Life

- Durable tread compound and even-wear design helps extend mileage and lower overall cost of ownership

Strong and Stable

- Reinforced construction provides excellent load-carrying capacity and stability for towing, hauling, or everyday driving

TIRE SIZE	LI	OD	SW	LOAD
P215/70R16	99T	27.9	8.7	1709
P225/70R16	101T	28.4	9	1819
P235/70R16	104T	29	9.4	1984
P245/70R16	106T	29.5	9.8	2094
P255/70R16	109T	30.1	10.2	2271
P265/70R16	111T	30.6	10.7	2403

TIRE SIZE	LI	OD	SW	LOAD
P215/60R17	95V	27.2	8.7	1521
P225/65R17	100T	28.5	9	1764
P235/65R17	103T	29.1	9.4	1929
P235/70R17	105T	30	9.4	2039
P245/65R17	105T	29.5	9.8	2039
P245/70R17	108T	30.6	9.8	2205
P255/65R17	110T	30.1	10.2	2337
P255/70R17	112T	31.1	10.2	2469
P265/65R17	110T	30.6	10.7	2337
P265/70R17	113T	31.7	10.7	2535
P225/55R18	97H	27.8	9.2	1609
P225/60R18	100V	28.6	9	1764
P235/55R18	100V	28.1	9.6	1764
P235/60R18	102T	29.1	9.4	1874
P235/65R18	104H	30	9.4	1984
P245/60R18	104T	29.6	9.8	1984
P255/65R18	109H	31.1	10.2	2271
P265/60R18	110H	30.5	10.7	2337
P265/65R18	114T	31.5	10.7	2601
P255/70R18	113T	32.1	10.2	2535
P265/70R18	114T	32.6	10.7	2601
P275/65R18	114H	32.1	11	2601
P235/55R19 XL	105V	29.2	9.6	2039
P245/55R19	103H	29.6	10	1929
P255/60R19	109H	31.1	10.2	2771
P225/55R19	99V	28.8	9.2	1709
P235/45R19XL	99V	27.4	9.3	1709
P235/50R19	99V	28.3	9.6	1709
P235/55R20	102H	30.2	9.6	1874
P245/50R20	102V	29.7	10	1874
P255/50R20XL	109V	30.1	10.4	2271
P255/55R20	107H	30.8	10.7	2149
P265/50R20XL	111V	30.5	10.9	2403
P275/50R20	109H	30.6	11.6	2271
P275/55R20 XL	117T	31.9	11.2	2835
P275/60R20	115T	33	11	2679
P295/45R20XL	114V	30.5	11.7	2601
P275/50R22	111H	32.9	11.2	2403
LT235/85R16/10	120/116Q	31.7	9.3	3085/2755
LT245/75R16/10	120/116Q	30.5	9.8	3085/2755
LT265/75R16/10	123/120Q	31.7	10.5	3415/3085
LT235/80R17/10	120/117Q	31.8	9.3	3085/2835
LT245/70R17/10	119/116Q	30.6	9.8	3000/2755
LT245/75R17/10	121/118Q	31.5	9.8	3195/2910
LT265/70R17/10	121/118Q	31.7	10.7	3195/2910
LT285/70R17/10	121/118Q	32.8	11.5	3195/2910
LT275/65R18/10	123/120Q	32.1	11	3415/3085
LT275/70R18/10	125/122Q	33.2	11	3640/3305
LT275/65R20/10	126/123Q	34.1	11	3750/3415
NEVER COMPROMISE™			NEVER COMPROMISE™	

ZENNA® *TRAILHEAD AT*



Metric
Sizes



LT
Sizes

Proven All-Terrain Grip

- Sturdy tread blocks and open shoulder design provide reliable traction on dirt, gravel, and light mud while maintaining excellent highway handling

Built to Last

- Durable construction helps resist cuts and chips for long-lasting performance both on- and off-road

Smooth, Quiet Ride

- Balanced tread pattern reduces noise and enhances comfort during daily driving

3PMSF Winter Certified

- Tested and certified for severe snow service, offering dependable traction when winter weather hits

TIRE SIZE	LI	OD	SW	TD	LOAD
245/75R16/6	111T	30.5	9.8	12	2403
265/70R16/10	112T	30.6	10.7	12	2469
265/75R16/10	116T	31.7	10.5	12	2756
265/70R17/10	115T	31.7	10.7	12	2679
275/65R18/10	116T	32.1	11	12	2756
275/55R20/10	117T	31.9	11.2	12	2833
275/60R20/10	116T	33	11	12	2756
275/65R20/10	116T	34.1	11	12	2756
LT235/75R15/10	104/101S	28.9	9.3	14	1985/1820
LT225/75R16/10	115/112S	29.3	8.8	14	2680/2470
LT235/85R16/10	120/116R	31.7	9.3	14	3085/2755
LT245/75R16/10	120/116S	30.5	9.8	14	3085/2755
LT265/75R16/10	123/120R	31.7	10.5	15	3415/3085
LT285/75R16/10	126/123Q	32.8	11.3	15	3750/3415
LT235/80R17/10	120/117R	31.8	9.3	14	3085/2835
LT245/75R17/10	121/118S	31.5	9.8	14	3195/2910
LT265/70R17/10	123/120S	31.7	10.7	15	3415/3085
LT285/70R17/10	126/123Q	32.8	11.5	15	3750/3415
LT265/70R18/10	124/121Q	32.6	10.7	15	3525/3195
LT275/65R18/10	123/120Q	32.1	11	15	3415/3085
LT275/70R18/10	125/122S	33.2	11	15	3640/3305
LT285/65R18/10	125/122S	32.6	11.5	15	3640/3305
LT265/60R20/10	121/118S	32.5	10.7	15	3195/2910
LT275/55R20/10	120/117S	31.9	11.2	15	3085/2835
LT275/65R20/10	126/123S	34.1	11	15	3750/3415
31×10.50R15LT/6	109S	30.5	10.6	14	2270
33×12.50R18LT/10	118Q	32.5	12.5	15	2910
35×12.50R18LT/10	123R	34.5	12.5	15	3415
33×12.50R20LT/12	119Q	32.5	12.5	15	3000
35×12.50R20LT/12	125R	34.5	12.5	15	3640





Aggressive Off-Road Traction

- Deep, open-shoulder tread design and aggressive shoulder elements provide confident grip on mud, gravel, and rocky terrain

All-Season Capability

- Designed to perform in dry, wet, and light snowy conditions for year-round versatility

Durable, Cut-Resistant Construction

- Reinforced sidewalls and a robust tread compound help resist damage from sharp rocks and rough trails

Confident On-Road Handling

- Optimized tread pattern reduces road noise and enhances stability for a smoother ride and better manners on pavement

TIRE SIZE	LI	OD	SW	TD	LOAD
265/70R17	115T	31.7	10.7	13	2679
275/65R18	116T	32.1	11	13	2756
275/55R20	117T	31.9	11.2	13	2833
275/60R20	116T	33	11	13	2756
275/65R20	116T	34.1	11	13	2756
LT245/70R17/10	119/116Q	30.6	9.8	15	3000/2755
LT265/70R17/10	123/120Q	31.7	10.7	15	3415/3085
LT285/70R17/10	126/123Q	32.8	11.5	15	3750/3415
LT275/65R18/10	123/120Q	32.1	11	15	3415/3085
LT275/70R18/12	128/125Q	33.2	11	15	3970/3640
LT275/55R20/10	120/117Q	31.9	11.2	15	3085/2835
LT275/65R20/10	126/123Q	34.1	11	15	3750/3415
33X12.50R17LT/12	124Q	32.5	12.5	17	3525
35X12.50R17LT/10	125Q	34.5	12.5	17	3640
33X12.50R18LT/12	122Q	32.5	12.5	17	3305
35X12.50R18LT/12	128Q	34.5	12.5	17	3970
33X12.50R20LT/12	119Q	32.5	12.5	17	3000
35X12.50R20LT/12	125Q	34.5	12.5	17	3640
37X13.50R20LT/12	128Q	36.5	13.6	17	3970
33X12.50R22LT/12	114Q	32.5	12.5	17	2600
35X12.50R22LT/12	121Q	34.5	12.5	17	3195
35X12.50R24LT/12	116Q	34.5	12.4	17	2755
37X13.50R24LT/12	124Q	36.5	13.6	17	3525





Aggressive Tread Design for Mud & Dirt

- Large, widely spaced tread lugs and open-shoulder bars that bite into soft terrain and help eject mud, rocks, and debris so traction stays consistent


Self Cleaning Tread

- Mud and stone ejectors between the tread blocks clear debris from the tread to prevent damage from stone drills

Staggered lug design and tread pattern optimization

- Reduces vibration and improves straight-line stability on highways, giving a more controlled and comfortable ride on the road

TIRE SIZE	LI	OD	SW	TD	LOAD
LT235/85R16/10	120/116Q	31.7	9.3	18	3085/2755
LT265/75R16/10	123/120Q	31.7	10.5	18	3415/3085
LT285/75R16/10	126/123Q	32.8	11.3	18	3750/3415
LT265/70R17/10	121/118Q	31.7	10.7	18	3195/2910
LT285/70R17/10	121/118Q	32.8	11.5	18	3195/2910
LT275/65R18/10	123/120Q	32.1	11	18	3415/3085
31X10.50R15LT/6	109Q	30.5	10.6	18	2270
33X12.50R15LT/6	108Q	32.5	12.5	18	2205
33X12.50R17LT/10	120Q	32.5	12.5	18	3085
35X12.50R17LT/10	121Q	34.5	12.5	18	3195
33X12.50R18LT/10	120Q	32.5	12.5	18	3085
35X12.50R18LT/10	123Q	34.5	12.5	18	3415
33X12.50R20LT/10	114Q	32.5	12.5	18	2600
35X12.50R20LT/10	121Q	34.5	12.5	18	3195
37X12.50R20LT/10	126Q	36.5	12.5	18	3750
33X12.50R22LT/10	109Q	32.5	12.5	18	2270
35X12.50R22LT/10	117Q	34.5	12.5	18	2835



ZENNA[®]

WARRANTY

FREE REPLACEMENT WARRANTY

American Pacific Industries, Inc (API) hereby warrants every new Zenna LT/PCR tire for workmanship and material related conditions for the life of the original tread of a new tire less 2/32". The life of the original usable tread ends when the tire tread has worn down with only 2/32" remaining as measured in the fastest wearing groove, at which point the tire is considered to be fully worn out. API will refund the cost of a replacement Zenna LT/PCR tire. Applicable taxes on the new tire and costs of mounting and balancing service shall be borne by the owner. All Exclusions listed below void this 100% Free Replacement Warranty. Conditions and coverage are subject to change at any time and without notice.

- A) The Zenna LT/PCR tire must be replaced with a comparable new Zenna LT/PCR tire by an authorized Zenna dealer. Copy of invoice will be required.
- B) 100% free replacement applies to new first quality tires. Blemished tires, retreads and road hazard tires are specifically excluded (see Road Hazard Warranty below),
- C) Adjustments on ride complaints or out of round tires are excluded from this warranty if they are worn past 2/32" from the original usable tread of the new tire.

FREE ROAD HAZARD WARRANTY

Every applicable Zenna LT/PCR tire that has been irreparably damaged due to a normal road hazard condition (e.g. irreparable cut, puncture, snag, bruise, or impact break) within 1 year from the date of purchase OR less than 25% of the original USEABLE tread depth will be replaced free of charge with an equivalent Zenna LT/PCR tire. Applicable taxes on the new tire and costs of mounting and balancing service shall be borne by the owner. To be eligible, you must present your original invoice showing date of purchase. All exclusions listed below void this Road Hazard Warranty. Conditions and coverage are subject to change at any time and without notice. ALL ROAD HAZARD CLAIMS MUST BE SERVICED THROUGH YOUR AUTHORIZED Zenna DEALER.

Applicable Zenna Lines with Road Hazard Warranty: Zenna Sport Line, UHP, Trailhead AT, Trailhead HT

SATISFACTION ASSURED

All Zenna LT/PCR tires are covered by the 30 Day "Satisfaction Assured" trial period. If, for any reason, other than an excluded condition listed in the respective tire's Standard Warranty, you are not satisfied with your new set of tires within 30 days of date of purchase - or the first 2/32nds of tread wear as measured in the fastest wearing groove (whichever comes first) - you may exchange all or any one of them for the same number of the same design or similar design API manufactured tires. Mounting and balancing are free of charge (excluding online orders). Owner pays all applicable taxes. If you wish to exchange for another set of API manufactured tires that have a higher cost, you must pay the upgrade from the original purchase price, including shipping and all applicable taxes. If you wish to exchange for another set of tires, which is at a lower cost, you will receive a credit for the difference in cost.

This Satisfaction Assurance guarantee only applies to the original new set of manufactured Zenna LT/PCR tires purchased and not to the replacement tires under this guarantee.

Administration of the Assured Satisfaction Warranty

Within the 30 days from the date of purchase or the first 2/32nds tread wear as measured in the fastest wearing groove, you must return your tires to the authorized Zenna LT/PCR tire dealer where you purchased your tires. You must present the original sales receipt and proof-of-purchase. Reason for dissatisfaction must be explained to the dealer (i.e., appearance, ride, handling, etc.) and noted on the adjustment claim form.

EXCLUSIONS

- A) All Zenna LT/PCR tire warranties are limited to the original purchaser and the original vehicle on which they are mounted, and are not assignable to subsequent purchasers or vehicles.
- B) The warranties listed above are applicable only in the United States and Canada and any tire used or equipped on a vehicle registered or operated outside the United States and Canada are not covered by these warranties.
- C) The following is not covered by the warranties listed above:
- 1) Tire branded or marked “Non-Adjustable” (N/A) or “Blemished” (Blem), or previously adjusted.
 - 2) Failure, damage or irregular wear due to:
 - a) fire, accident or vandalism;
 - b) mechanical condition of vehicle, including improper alignment, improper inflation, wheel imbalance, faulty shocks or brakes;
 - c) misapplication of tire; or
 - d) alteration of the tire, addition of foreign material, transfers from one vehicle to another or any previous damages and/or repairs.
 - 3) Cost of mounting and balance service.
 - 4) Loss of time or use, inconvenience, or any incidental or consequential damages except as prohibited by law.
 - 5) Adjustment on out-of-balance or out-of-round tire is allowed only during the first 2/32” of the original tread as measured in the fastest wearing groove. A set of all four (4) tires from the same vehicle claimed for out-of-round will not be accepted.
- D) Any Zenna LT/PCR tire produced five (5) years from date of manufacture as determined by the DOT/Serial number are not covered under the warranties listed above.

REPAIRS AND RETREADING: RATING CHANGES AND CAUTIONS

- A) Repaired, retreaded or altered Zenna tire with “Speed Rating(s)” no longer retain their “Speed Rating”.
- B) If the aforementioned tire(s) is repairable, see the recommended repair procedures used by the tire dealer(s) for repairing tubeless passenger car radial tires as detailed and illustrated in the RMA puncture repair procedures.
- C) Repairs must be restricted to the tread area inside a half inch of the sidewall of the tire.
- D) Do not repair any punctures that are larger than 1/4

OWNER’S OBLIGATIONS

In order to be eligible for Zenna LT/PCR tire Limited Warranty service, the dealer/owner must:

- A) At the time of purchase, the tires must be properly installed, correct air pressure set and the wheels balanced.
Every 6,000 miles the tires must be rotated, proper air pressures set and the wheel alignment checked.
- B) Any tire to be adjusted must be presented to an authorized Gladiator dealer.
- C) Present proof of purchase to the satisfaction of the dealer.
- D) Complete and sign a Zenna Warranty Claim Form which is available at any authorized dealer.
- E) Pay the amount due on a new tire, less the amount of credit, including taxes, mounting and balancing charges or cost of other services ordered.

DISCLAIMER

This warranty, or any warranty stated or referred to herein, is exclusive and in lieu of any other warranty regarding the quality of Zenna LT/PCR Tires, whether expressed or implied, and remedies for breach thereof shall be limited to those specifically provided herein. This warranty only applies the 48 contiguous continental United States, Alaska, Hawaii, District of Columbia and Canada.





SCAN TO VIEW ALL TIRES

MARCH 2026