

**ENGINEERED TO PERFECTION®** 

Size	Overall Diameter (IN)	Section Width (IN)	Load Capacity (LBS)	Size	Overall Diameter (IN)	Section Width (IN)	Load Capacity (LBS)
205/40ZR17 XL/84W	23.5	8.4	1102	225/35ZR20 XL	/90W 26.2	9.1	1323
205/50ZR17 XL/93W	25.4	8.4	1433	235/35ZR20 SI	_/88Y 26.5	9.5	1235
215/40ZR17 XL/87W	23.4	8.6	1201	235/35ZR20 XI	L/92Y 26.5	9.5	1389
215/45ZR17 XL/91W	24.7	8.4	1356	245/30ZR20 XL	/90W 25.8	9.8	1323
215/50R17 XL/95V	25.5	8.9	1521	245/35ZR20 XL	/95W 26.8	9.8	1521
215/55ZR17 XL/98W	26.3	8.9	1653	245/40ZR20 XL	/99W 27.7	9.8	1709
225/45ZR17 XL/94W	25.0	8.9	1477	245/45ZR20 SL	/99W 28.7	9.6	1709
225/50R17 XL/98V	25.9	9.2	1653	245/50R20 SL/	′102V 29.7	10.0	1874
225/55R17 XL/101V	26.8	9.2	1819	255/35ZR20 XL	/97W 27.0	10.2	1609
235/45ZR17 XL/97W	25.4	9.3	1609	255/45ZR20 XL/	/105W 29.1	10.0	2039
235/55R17 XL/103V	27.2	9.6	1929	255/50R20 XL/	′109V 30.1	10.4	2271
245/40ZR17 XL/95W	24.7	9.8	1521	265/45ZR20 XL/	/108W 29.4	10.5	2205
245/45ZR17 XL/99W	24.8	9.6	1709	265/50R20 XL/	′111V 30.5	10.9	2403
215/35ZR18 XL/84W	23.9	8.6	1102	275/30ZR20 XL	/97W 26.5	10.9	1609
215/40R18 XL/89W	24.8	8.6	1279	275/35ZR20 XL	/102W 27.6	10.9	1874
225/40ZR18 XL/92W	25.1	9.1	1389	275/40ZR20 XL	/106W 28.7	10.9	2094
225/45ZR18 XL/95W	25.9	8.9	1521	275/45R20 XL/	′110V 29.8	10.7	2337
235/40ZR18 XL/95W	25.4	9.5	1521	275/55R20 XL/	′117V 31.9	11.2	2833
235/45ZR18 XL/98W	26.3	9.3	1653	285/25ZR20 XL	/93W 25.6	11.6	1433
235/50ZR18 XL/101W	27.3	9.6	1819	285/30ZR20 XI	L/99Y 26.8	11.4	1709
235/55ZR18 XL/104W	28.1	9.6	1984	315/35ZR20 XL,	/110W 28.7	12.6	2337
245/40ZR18 XL/97W	25.7	9.8	1609	245/35ZR21 XI	L/96Y 27.8	9.8	1565
245/45ZR18 XL/100W	26.7	9.6	1764	265/35ZR21 XL	/101Y 28.3	10.7	1819
255/35ZR18 XL/94W	25.0	10.2	1477	235/30ZR22 XL	/90W 27.6	9.5	1323
255/45ZR18 XL/103W	27.0	10.0	1930	245/30ZR22 XL	./92W 27.8	9.8	1389
255/55R18 XL/109V	29.0	10.4	2270	255/30ZR22 XL	/95W 28.1	10.2	1521
275/35ZR18 SL/95W	25.6	10.9	1521	265/30ZR22 XL	./97W 28.3	10.7	1609
225/35ZR19 XL/88W	25.2	9.1	1235	265/35ZR22 XL,	/102W 29.3	10.7	1874
225/40ZR19 XL/93W	26.1	9.1	1433	265/40R22 XL/	′106V 30.4	10.7	2094
225/45ZR19 XL/96W	27.0	8.9	1565	285/25ZR22 XL	./95W 27.6	11.6	1521
225/55R19 SL/99H	28.8	9.2	1709	285/35ZR22 XL/	/107W 29.9	11.4	2150
235/35ZR19 XL/91W	25.5	9.5	1356	285/45ZR22 XL/	/114W 32.1	11.2	2601
235/40ZR19 XL/98Y	26.4	9.5	1653	295/25ZR22 XL	./97W 27.8	11.9	1609
245/35ZR19 XL/93W	25.8	9.8	1433	305/40ZR22 XL	/114W 31.6	12.3	2601
245/40ZR19 XL/98W	26.7	9.8	1653	305/45R22 XL/	118V 32.8	11.9	2910
245/45ZR19 XL/102W	27.7	9.6	1875	255/30ZR24 XL	/97W 30.1	10.2	1609
255/35ZR19 XL/96W	26.0	10.2	1565	275/25ZR24 XL	/96W 29.4	11.1	1565
255/45ZR19 XL/104W	28.1	10	1984	295/35R24 XL/		11.9	2337
255/50R19 XL/107V	29.1	10.4	2149	305/35R24 XL/		12.3	2469
265/30ZR19 XL/93W	25.3	10.7	1433	275/25ZR26 XL	/98W 31.4	11.1	1653
275/30ZR19 XL/96W	25.6	10.9	1565	295/30ZR26 XL	/107W 33.0	11.9	2149
275/35ZR19 XL/100Y	26.6	10.9	1764	305/30R26 XL/	′109V 33.2	12.3	2271
225/30ZR20 XL/85W	25.4	9.1	1135	UTQG 420 AA A / TREAD DEPTH (10/32nds)			

UTQG 420 AA A / TREAD DEPTH (10/32nds)



## RACE PROVEN WINS

Formula Drift Pro AM Champions Turismo Drift Champion Formula Drift Canada Pro Series Competitor

# **ARGUS - UHP**

**Outstanding Ride Control:** 

Tread designed for stability and traction in all weather conditions

Noise treated compound for an exceptionally smooth ride with reduced road noises

All season and M&S rated. Functionality at its best!

Excellent wet and dry performance while maintaining a long lasting tread life











#### 100% FREE REPLACEMENT WARRANTY

American Pacific Industries, Inc (API) hereby warrants every new Zenna Argus UHP tire for workmanship and material related conditions for the life of the original tread of a new tire less 2/32". The life of the original usable tread ends when the tire tread has worn down with only 2/32" remaining as measured in the fastest wearing groove, at which point the tire is considered to be fully worn out. API will replace the Zenna Argus UHP tire with a new Zenna Argus UHP tire. All Exclusions listed below void this 100% Free Replacement Warranty. Conditions and coverage are subject to change at any time and without notice.

- A) The worn Zenna Argus UHP tire must be replaced with a comparable new Zenna Argus UHP tire by an authorized Zenna Argus dealer. Copy of invoice will be required.
- B) 100% free replacement applies to new first quality tires only. Retreads, tires unserviceable due to Road Hazard and tires described under Exclusions below are not covered.
- C) Adjustments on ride complaints or out-of-round tires are excluded from this warranty if they are worn past 2/32" from the original usable tread of the new tire.

#### SATISFACTION ASSURED

All API passenger and LT tires are covered by the 30 Day "Satisfaction Assured" trial period. If, for any reason, other than an excluded condition listed in the respective tire's Standard Warranty, you are not satisfied with your new set of tires within 30 days of date of purchase - or the first 2/32nds of tread wear as measured in the fastest wearing groove (whichever comes first) - you may exchange all or any one of them for the same number of the same design or similar design API manufactured tires. Mounting and balancing are free of charge (excluding online orders). Owner pays all applicable taxes. If you wish to exchange for another set of API manufactured tires that have a higher cost, you must pay the upgrade from the original purchase price, including shipping and all applicable taxes. If you wish to exchange for another set of tires, which is at a lower cost, you will receive a credit for the difference in cost less taxes.

This Satisfaction Assurance guarantee only applies to the original new set of manufactured passenger and LT tires purchased and not to the replacement tires under this guarantee.

**Administration of the Assured Satisfaction Warranty:** Within the 30 days from the date of purchase or the first 2/32nds tread wear as measured in the fastest wearing groove, you must return your tires to the authorized API brand tire dealer where you purchased your tires. You must present the original sales receipt and proof-of-purchase. Reason for dissatisfaction must be explained to the dealer (i.e., appearance, ride, handling, etc.) and noted on the adjustment claim form.

#### LIMITED MILEAGE/ROAD HAZARD WARRANTY

- A) If a Zenna Argus UHP tire wears evenly down to a tread depth of 2/32 as measured in the fastest wearing groove in less than 50,000 miles and in less than five (5) years from date of manufacture, API will credit the owner a pro-rated amount on the actual mileage toward the purchase of a new Zenna Argus UHP tire. Costs incurred for mounting, balancing and other service charges are not included in the credit amount and shall be borne by the owner. It is the owner's responsibility to follow the Owner's Obligations listed under the Zenna Argus UHP Limited Warranty. All Exclusions listed below void this Limited Mileage Warranty. Conditions and coverage are subject to change at any time and without notice.
- B) If a Zenna Argus UHP tire is deemed to be adjustable under the Limited Mileage Warranty, then the following procedures must be met.
  - 1) Owner/User must keep updated mileage records on the Mileage Warranty form provided on API's website or at the time of purchase. Tires must be rotated at least every 6,000 miles and documented by the service provider.
  - 2) Original invoice showing purchase of tires must be submitted.
  - 3) Must complete and sign the Mileage Warranty form and submit to an authorized dealer.
  - 4) The Zenna Argus UHP tire must be replaced with a comparable new Zenna Argus UHP tire by an authorized dealer. Copy of invoice will be required.

Road Hazard Warranty: Every Zenna UHP tire that has been irreparably damaged due to a normal road hazard condition (e.g. irreparable cut, puncture, snag, bruise, or impact break) within the first 25% of the original tread depth and within 2 years from the date of purchase, will be replaced free of charge with an equivalent Zenna UHP tire. Applicable taxes on the new tire and costs of mounting and balancing service shall be borne by the owner. To be eligible, you must present your original invoice showing date of purchase. All Exclusions listed below void this Road Hazard Warranty. Conditions and coverage are subject to change at any time and without notice.

### **EXCLUSIONS**

- A) All Zenna Argus warranties are limited to the original purchaser and the original vehicle on which they are mounted, and are not assignable to subsequent purchasers or vehicles.
- B) The warranties listed above are applicable only in the United States and Canada and any tire used or equipped on a vehicle registered or operated outside the United States and Canada are not covered by these warranties.
- C) The following is not covered by the warranties listed above:
  - 1) Tire branded or marked "Non-Adjustable" (N/A) or "Blemished" (Blem), or previously adjusted.
  - 2) Failure, damage or irregular wear due to:
    - a) fire, accident or vandalism;
    - b) mechanical condition of vehicle, including improper alignment, improper inflation, wheel imbalance, faulty shocks or brakes;
    - c) misapplication of tire; or
    - d) alteration of the tire, addition of foreign material, transfers from one vehicle to another or any previous damages and/or repairs.
  - 3) Cost of mounting and balance service.
  - 4) Loss of time or use, inconvenience, or any incidental or consequential damages except as prohibited by law.
  - 5) Adjustment on out-of-balance or out-of-round tire is allowed only during the first 2/32" of the original tread as measured in the fastest wearing groove.
    - A set of all four (4) tires from the same vehicle claimed for out-of-round will not be accepted.
- D) Any Zenna Argus tire submitted five (5) years or more from the date of manufacture as determined by the DOT Serial number is not covered under the warranties listed above.

#### **REPAIRS AND RETREADING: RATING CHANGES AND CAUTIONS**

- A) Repaired, retreaded or altered Zenna Argus tire with "Speed Rating" no longer retain their "Speed Rating".
- B) If the aforementioned tire(s) is repairable, see the recommended repair procedures used by the tire dealer(s) for repairing tubeless passenger car radial tires as detailed and illustrated in the RMA puncture repair procedures.
- C) Repairs must be restricted to the tread area inside a half inch of the sidewall of the tire.
- D) Do not repair any tread area punctures that are larger than 1/4" in diameter.

#### OWNER'S OBLIGATIONS

In order to be eligible for Zenna Argus Limited Warranty service, the dealer/owner must:

- A) At the time of purchase, the tires must be properly installed, correct air pressure set and the wheels balanced.
- Every 6,000 miles the tires must be rotated, proper air pressures set and the wheel alignment checked.
- B) The tire to be adjusted must be presented to an authorized Zenna Argus dealer.
- C) Present proof of purchase to the satisfaction of the dealer.
- D) Complete and sign a Zenna Argus Warranty Claim Form which is available at any authorized dealer.
- E) Pay the amount due on taxes, mounting and balancing charges or cost of other services ordered.

#### DISCLAIMER

This warranty, or any warranty stated or referred to herein, is exclusive and in lieu of any other warranty regarding the quality of Zenna Argus Tires, whether expressed or implied, and remedies for breach thereof shall be limited to those specifically provided herein.









